

100




Figure 1




FIGURE 1B




Figure 2

300




Figure 3

400




Figure 4



Figure 5

600




Figure 6



Figure 7




Figure 7A




Figure 7B

740




Figure 7C

0752740 73450350




Figure 7D

800




Figure 8



Figure 9

002749 29603550




Figure 10



Figure 11

1200




Figure 12

1300

004THQ" 49605560

1302




Figure 13

1400




Figure 14





FIGURE 14A



09:50:56" 04.700




FIG. 16




FIG. 17




FIG. 18




FIG. 19

```

graph TD
    2001[2001 COMMAND LINE  
"/ user_id, meeting title, meeting body, list, location, time"] --> 2002[2002 MESSAGE  
"user_id, meeting title, meeting body, participant list, time"]
    2002 --> 2003[2003 MEETING RECORD TO STORE CURRENT MEETING INFORMATION  
stUSERID, sTitleOrig, sTitleKW, sBodyKW, sLocation, sTime,  
sParticipants( ), sMeetingText: original message minus user_id  
sCompany, sPeople, sTopic, sWhen, sWhere from GoPatternMatch]
    2003 --> 2004[2004 SUBMIT QUERY TO ALTA VISTA]
    2004 --> 2005[2005 SUBMIT QUERY TO NEWSPAGE]
    2005 --> 2006[2006 STORE MESSAGE IN gResultOverall  
"msg_id, user_id, meeting title concatenated with stories"]
    2006 --> 2007[2007 PROCESS STORIES FROM ALTA VISTA AND NEWSPAGE]

```

FIG. 20




FIG. 21




FIGURE 22